



JT300M1



PRODUCT DESCRIPTION:

A 270-µm, lightweight, white polyester canvas, that is coated with an inkjet varnish on one side. Eco-friendly fabric free of PVC, phthalates, formaldehyde, phosphate and glycol ether. For solvent, eco-solvent, latex and UV inkjet printing. Anti-curl properties prevent the canvas from curling up over time. For indoor use.

FILM FEATURES:

• Total thickness	(Average values) 270 µm	Method ISO 5084
• Total weight	(Average values) 270 g/m²	Method ISO 3801
• Opacity	(Average values) 96 %	
• Yarn/weft tear resistance	(Average values) 12 daN 9 daN	Method DIN 53.363

PRINTING GUIDE:

- Printable only on one side (outer side).
- Touch-dry after less than 10 minutes depending on printer used.
- Optimal drying time for the inks before laminating or further processing is 24 hours minimum.

USER'S INSTRUCTIONS:

- For indoor use.
- Suitable for rotating billboards, displays, banners, wall panelling etc.
- When applied as wallpaper, use an acrylic adhesive for non-woven canvas.

OPERATING RECOMMENDATIONS:

- For more information on the application method of the JT300M1 film, please refer to its Application Guide available under the «Professionals» heading, in the «Digital printing media» category on our website www.hexis-graphics.com.

STORAGE:



Storage period before use
1 year



Storage temperature
+15 °C to +25 °C (+59 °F to +77 °F)



Relative humidity during storage
with relative humidity of 50 %



Storage area
in a dust-free environment



Storage method before use
in its original packaging



Orientation of rolls before use
vertically

CERTIFICATION:

Fire-smoke classification



Fire-smoke classification standard

French standard for fire behaviour

Fire-smoke classification protocol no.

EFR-20-004268A

NOTES:

Due to the great variety of substrates and the growing number of new applications, the installer must check the suitability of the medium for each application. All of the published information is based on measurements regularly performed in the laboratory. The published information does not however constitute a binding guarantee. The seller cannot be held liable for indirectly related damages and assumes no liability for claims that are higher than the replacement value of the purchased product. All specifications are subject to potential changes without prior notice. Our specifications are automatically updated on our website www.hexis-graphics.com.