TECHNICAL DATA SHEET - DIGITAL PRINTING - CANVAS

270-µm, light, white polyester canvas, which is coated with an inkjet varnish on one side. Ecofriendly fabric being PVC, phthalates, formaldehyde, phosphate and glycol ether free. For solvent, eco-solvent, latex and UV inkjet printing. Anti-curl properties: prevents the canvas from selfcurling over time. This product is MI classified according to the French standard about fire behaviour (protocol no. PI01352-DE/2). For indoor use.

FEATURES:

	<u>Average values</u>	<u>Standard</u>
• Total thickness of the product (µm):	270	
• Total weight of the product (g/m²):	270	
• Yarn/weft tear resistance (N):	100/50	DIN53363
• Opacity (%):	80	

GENERAL PRINTER COMPATIBILITIES:

	Solvent	Eco-solvent	Latex	UV
JT300MI	✓	✓	~	✓

USER'S INSTRUCTIONS:

- Solely one side printable (external side).
- Touch-dry after less than 10 minutes depending on printer used.
- For indoor use.

This product is M1 classified according to the French standard about fire behaviour (protocol no. P101352-DE/2).

- Suitable for rotating billboards, displays, banners, wall panelling etc.
- When applied as wallpaper, use an acrylic adhesive for non-woven canvas.

OPERATING RECOMMENDATIONS:

- For any coating and other, optimal drying time for the inks is 24 hours minimum.
- For more information on the application method of the JT300M1 film, please refer to the Application Guide on the "Professionals" pages, category "Digital printing media" on our site www.hexis-graphics.com.

STORAGE:

• Shelf life (before use):

The shelf life of this film is 1 year when stored upright in its original packaging in a dust-free environment at a temperature ranging from 15 °C to 25 °C (+59 °F to +77 °F) with relative humidity of 50 %.

NOTES:

Due to the great variety of substrates and the growing number of new applications, the installer must check the suitability of the media for each application. All the published information is based on measurements regularly performed in the laboratory. It does not however constitute a binding guarantee. The seller cannot be held liable for indirectly related damages and assumes no liability for claims that are higher than the replacement value of the purchased product. All specifications are subject to potential changes without prior notice. Our specifications are automatically updated on our website www.hexis-graphics.com.