



PRODUCT DATA SHEET

EASYPOSE

Product that facilitates the application of adhesive-coated films while reducing the tack.

COMPOSITION:

- Water
- Isopropanol
- Surface-active agent

LIQUID FEATURES:

- Blue liquid

USER'S INSTRUCTIONS:

- For professional use only.
- Refer to the safety data sheet prior to use.

The safety data sheet is available upon request.

- Use at ambient temperature.
- It is recommended to use a sprayer.
- Spray it on the surface to which the film will be applied as well as on the adhesive-coated side of the film.
- Position the film.
- Remove the liquid (as well as the air bubbles) by squeegeeing firmly from the centre outwards.
- It is recommended to use a clean cloth.
- Handle in properly ventilated areas.
- Wear protective goggles.

STORAGE:

- Keep the container tightly closed, in a cool and properly ventilated area.
- Shelf life: 1 year when stored in its unopened original container.

NOTES:

Due to the great variety of substrates and the growing number of new applications, the installer must check the suitability of the medium for each application. All of the published information is based on measurements regularly performed in the laboratory. The published information does not however constitute a binding guarantee. The seller cannot be held liable for indirectly related damages and assumes no liability for claims that are higher than the replacement value of the purchased product. All specifications are subject to potential changes without prior notice. Our specifications are automatically updated on our website www.hexis-graphics.com.